

TEST NAME	TEST CODE	WHEN TESTING IS PERFORMED	MINIMUM SPECIMEN NEEDED	STABILITY	SPECIMEN TYPE	SPECIAL INSTRUCTIONS
ALBUMIN	3042	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
ALK	3030	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
ALPHA FETO PROTEIN	2024	M-F	1.0 ML	6 DAYS REFRIG	SERUM, SST	
ALT	3028	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
AMMONIA	3116	DAILY	1.0 ML	1 DAY FROZEN	EDTA PLASMA	
AMYLASE	3117	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
ANA	8603	BATCHED M,W,THURS,F	3ML	7 DAYS REFRIG	SERUM, SST	
ASO STREPTOZYME	6034	DAILY	0.5 ML	8 DAYS REFRIGERATED	SERUM, SST	
AST	3026	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
B12	2052	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	
B12 AND FOLATE	2160	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	
BILIRUBIN DIRECT	3046	DAILY	1.0 ML	IMMEDIATELY	SERUM, SST	PROTECT FROM LIGHT
BILIRUBIN T AND D AND I	3702	DAILY	0.5 ML	IMMEDIATELY	SERUM, SST	PROTECT FROM LIGHT
BILIRUBIN TOTAL	3044	DAILY	1.0 ML	IMMEDIATELY	SERUM, SST	PROTECT FROM LIGHT
BLEEDING TIME	7032	DAILY	N/A	N/A	PATIENT IN LAB	
BLOOD CULTURE	8450	DAILY	1-3 ML FOR PEDI, 8-10 FOR ADULT BOTTLE	PREFERRED ASAP, 48 RT	BLOOD IN BACTEC BOTTLES	
BLOOD GROUP AND TYPE	1668	BATCHED DAILY M-F	1.0 ML	72 HOURS REFRIG	WHOLE BLOOD EDTA AND PLAIN RED TOP	
BMP	3716	DAILY	2.0 ML	3 DAYS TIGHTLY	SERUM, SST	
BNP	3560	DAILY	1.0 ML	7 hours RT or refrig WB. 24 hours for plasma	EDTA WHOLE BLD	
BUN	3022	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
C. DIFF A AND B	8337	BATCHED DAILY M-F	25 UL	4 DAYS REFRIG	STOOL	
C3	3223	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
C4	3224	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	
CA 125	2020	M-F	1.0 ML	5 DAYS REFRIG	SERUM, SST	

CALCIUM	3034	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
CALCIUM 24 HR UA	3814	DAILY	5.0 ML OR 24 HR UR CONTAINER	4 DAYS REFRIG	24 HR URINE	NO ADDITIVE
CAMPY EIA	CAMPY	BATCHED DAILY M-F	50UL	4 DAYS REFRIG	STOOL	
CBC	4200	DAILY	2.5 ML	8 HRS ROOM TEMP, 24 hours refrigerated	WHOLE BLOOD EDTA	
CEA	2030	M-F	1.0 ML	6 DAYS REFRIG	SERUM, SST	
CELL COUNT FLUID	4210	DAILY	0.5 ML	24 HRS REFRIG	FLUID	
CHLAMY/GC AMPLIFIED	8400	BATCHED M,W,F		4-6 DAYS REFRIGERATED	BD SWAB	MUST ONLY BE BD SWAB
CHLAMYDIA AMPLIFIED	8333	BATCHED M,W,F		7 DAYS REFRIGERATED	URINE	
CHLORIDE	3070	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
CHLORIDE 24 HR UA	3204	DAILY	5.0 ML OR 24 HR UR CONTAINER	6 DAYS REFRIG	24 HR URINE	NO ADDITIVE
CHOLESTEROL	3050	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
CK	3122	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
CKMB	3143	DAILY	1.0 ML	4 HOURS REFRIGERATED	EDTA WHOLE BLD	
CMP	3736	DAILY	2.0 ML	3 DAYS TIGHTLY	SERUM, SST	
CO2	3071	DAILY	1.0 ML	3 DAYS TIGHTLY	SERUM, SST	
CORTISOL	2033	M-F	1.0 ML	5 DAYS REFRIG	SERUM, SST	
CREAT CLEARANCE	3755	DAILY	5.0 ML OR 24 HR UR CONTAINER	6 DAYS REFRIG	24 HR UR & SERUM, SST	NO ADDITIVE NEEDED, MUST HAVE SERUM
CREATININE	3024	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
CREATININE 24 HR UA	3754	DAILY	5.0 ML OR 24 HR UR CONTAINER	6 DAYS REFRIG	24 HR URINE	NO ADDITIVE
CREATININE RANDOM UA	3144	DAILY	5.0 ML	6 DAYS REFRIG	RANDOM URINE	
CRP HS	3043	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	

CRYOGLOBULIN	4017	M-F	2.0 ML		SERUM, SST	All specimens should be obtained aseptically by venipuncture. Patients must be fasting for cryoglobulin testing. Collect the blood specimen in a pre-warmed (37 C) vacutainer tube (plain or red-top for serum). Immediately after
CRP KIT	6036	DAILY	0.5 ML	8 DAYS REFRIGERATED	SERUM, SST	
CRYSTALS FLUID	4092	DAILY		ASAP	FLUID, BILE	
CULTURE	8020	DAILY		48 HOURS ROOM TEMP	BBL CULTURE SWAB PLUS	FOR FASTIDIOUS ORGANISMS 24 HRS
CULTURE ANAEROBIC SCREEN	8230	DAILY	CULTURE SWAB	48 HOURS ROOM TEMP	BBL CULTURE SWAB PLUS	
CULTURE FLUID/EXUDATE	8015	DAILY	.50UL FOR FLUID/SWAB	24 HOURS REFRIGERATED	FLUID	SWAB IS FOR 48 RT
D/S 5 PANEL	3900	M-F	5.0 ML	3 DAYS REFRIG	URINE	
D/S MRO CHARGE	370, 360					
D/S URINE METHADONE	3766	M-F	5.0 ML	3 DAYS REFRIG	URINE	
D/S WITH ALCOHOL UA	3764	M-F	5.0 ML	30 DAYS REFRIG	URINE	
DEPAKOTE/DEPAKENE	1104	M-F	1.0 ML	7 DAYS REFRIG	SERUM, SST	MUST REMAIN CAPPED
DHEA SULFATE	2059	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	
DIGOXIN	1106	M-F	1.0 ML	24 HRS REFRIG	SERUM, SST	MUST REMAIN CAPPED
DILANTIN	1090	M-F	1.0 ML	4 DAYS REFRIG	SERUM, SST	
DOT DRUG SCREEN	363	M-F	25.0 ML	REFRIG	URINE	COLLECTED ON SITE, SENT TO REFERENCE LAB
DOT DRUG SCREEN COLLECTION	214	M-F				
DRUG SCREEN 3 PANEL	3765	IDFY	5.0 ML	3 DAYS REFRIG	URINE	
DRUG SCREEN UA 8 PANEL	3762	M-F	5.0 ML	3 DAYS REFRIG	URINE	
DRUG SCREEN UA 8 WITH ALC	3764	M-F	5.0 ML	3 DAYS REFRIG	URINE	
E2	2034	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	
ELECTROLYTE PANEL	3768	DAILY	1.0 ML	3 DAYS TIGHTLY	SERUM, SST	
ELECTROPHORESIS HGB	1730	BATCHED M-F	0.5 ML	7 DAYS REFRIG	WHOLE BLOOD EDTA	

ELECTROPHORESIS PROTEIN	1735	BATCHED M-F	0.5 ML	7 DAYS REFRIG	SERUM, SST	
ETHANOL URINE/ ALCOHOL	3551	M-F	2.0 ML	30 DAYS REFRIG	URINE	
ETHANOL/ALCOHOL SERUM	3552	M-F	2.0 ML	30 DAYS REFRIG	SERUM	
FECAL FAT SCREEN	8260	DAILY	25ul	14 DAYS REFRIGERATED	RANDOM STOOL COLLECTION	
FERRITIN	2036	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
FOLATE	2054	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	
FSH	2058	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	
GC AMPLIFIED	8335	BATCHED M,W,F		30 DAYS ROOM TEMP	THIN PREP	
GC CULTURE	8240	DAILY		2 HOURS ROOM TEMP	SWAB	
GGTP	3124	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	
GIARDIA ANTIGEN	8503	BATCHED DAILY M-F	1.0 ML	ASAP refrigerate	STOOL	
GLUCOSE	3020	DAILY	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	
GLUCOSE 1 HR 50 GM	3110	M-F	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	SATURDAYS, NOT AFTER 9:30
GLUCOSE 2 HR PP	3112	M-F	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	
GLUCOSE TOLERANCE 2HR	3770	M-F	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	SATURDAYS, MUST START BY 8 A.M.

GLUCOSE TOLERANCE 3 HR	3772	DAILY	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	SATURDAYS, MUST START BY 8 A.M.
GLUCOSE TOLERANCE 4 HR	3774	M-F	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	
GLUCOSE TOLERANCE 5 HR	3776	M-F	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	
GRAM STAIN	8456	DAILY	25 ul	swab 48 room temp	48 refriger any other type specimen	
H. PYLORI	6019	DAILY	0.5 ML	72 HOURS REFRIG	SERUM,SST	
HAV AB/HAV	8560	BATCHED T,THURS,F	1 ML	48 HOURS REFRIG	SERUM,SST	OR EDTA WHOLE BLOOD
HCG QUAL SERUM	2028	DAILY	1.0 ML	3 DAYS REFRIG	SERUM,SST	
HCG QUANT	2038	DAILY	1.0 ML	3 DAYS REFRIG	SERUM,SST	
HCG UA	5084	DAILY	5.0 ML	72 HOURS REFRIG	URINE	
HCV	8640	BATCHED T,THURS,F	3 ML	7 DAYS REFRIG	SERUM,SST	OR EDTA WHOLE BLOOD
HDL	3054	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
HEMOGLOBIN	4024	DAILY	2.5 ML	48 HOURS REFRIG	WHOLE BLOOD EDTA	
HEMOGLOBIN A1C	3010	DAILY	1.0 ML	6 DAYS REFRIG	WHOLE BLOOD EDTA	
HEMOGLOBIN AND HCT	4215	DAILY	2.5 ML	48 HOURS REFRIG	WHOLE BLOOD EDTA	
HEPATITIS ACUTE PROFILE	8730	BATCHED M,W,F	2 mL	48 HOURS REFRIG	SERUM,SST	OR EDTA WHOLE BLOOD
HEPATITIS B CORE AB IGM	8561	BATCHED T,THURS,F	1 mL	48 HOURS REFRIG	SERUM,SST	OR EDTA WHOLE BLOOD

HEPATITIS B COREAB TOTAL	8540	SENT OUT				
HEPATITIS B SURFACE AB	8620	BATCHED M,W,F	1 ML	48 HOURS REFRIG	SERUM,SST	OR EDTA WHOLE BLOOD
HEPATITIS B SURFACE AG	8520	BATCHED M,W,F	1 ML	48 HOURS REFRIG	SERUM,SST	OR EDTA WHOLE BLOOD
HEPATITIS EXPOSURE PANEL	8725	BATCHED M,W,F	3 mL	48 HOURS REFRIG	SERUM,SST	OR EDTA WHOLE BLOOD
HEPATITIS HBSAG	8520	BATCHED M,W,F	1 mL	48 HOURS REFRIG	SERUM,SST	OR EDTA WHOLE BLOOD
HERPES 1/2 IGG (HERPESELECT)	8236	BATCHED T,THURS,F	2 mL	48 HOURS REFRIG	SERUM,SST	
HERPES CULTURE	8235	BATCHED DAILY		48 HOURS REFRIG	M4 media	
HIV 1 & 2	8226	BATCHED M,W,F	2 mL	7 DAYS REFRIG	SERUM,SST	OR EDTA WHOLE BLOOD
HNID Haemophilus-Neisseria	8180	M-F		18-24 hour	FRESH ISOLATE	
HOUSE CULTURE	8464	DAILY		48 hour room temp	culture swab	
IGA	3782	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
IGE	2026	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
IGG	3781	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
IGM	3784	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
IMMUNOGLOBULINS	3778	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
INFLUENZA A AND B	8507	DAILY		24 HOURS REFRIGERAED	M4 media	
INSULIN	2161	M-F	1.0 ML	1 DAY REFRIG	SERUM,SST	
INSULIN 2 HOUR	2167	M-F	1.0 ML	1 DAY REFRIG	SERUM,SST	
IRON	3126	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
IRON AND TIBC	3798	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
IRON BINDING CAPACITY	3128	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
IRON, TIBC, % TRANSFERRIN SAT	3796	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
KOH PREP	8191	DAILY	50ul	24 HOURS ROOM TEMP	HAIR, NAILS, SCRAPINGS 7 DAYS ROOM TEMP	

LAP	4124	M-F	2.5 ML	8 HOURS REFRIGERATED	HEPARIN (WB)	ANY HEPARIN TUBE, NO EDTA
LDH	3032	DAILY	1.0 ML	4 DAYS REFRIG	SERUM,SST	
LDL DIRECT	3057	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
LH	2040	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
LIPASE	3118	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
LIPID PROFILE	3785	DAILY	2.0 ML	6 DAYS REFRIG	SERUM,SST	
LITHIUM	3130	M-F	1.0 ML	6 DAYS REFRIG	SERUM,SST	
LIVER HEPATIC FUNCTION	3722	DAILY	2.0 ML	ASSAY ASAP	SERUM,SST	
LIVER PROFILE	3790	DAILY	2.0 ML	ASSAY ASAP	SERUM,SST	
MAGNESIUM	3132	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
MICROALBUMIN QUANT	3901	DAILY	2.0 ML	6 DAYS REFRIG	RANDOM URINE	
MICROALBUMIN/CREAT RATIO	3902	DAILY	2.0 ML	6 DAYS REFRIG	RANDOM URINE	
MONO	6020	DAILY	0.5 ML	8 DAYS REFERIGERATED	SERUM,SST	
OCP	8458	DAILY	1.0 ml	1 hr room temp, 24 hour refriger	stool	Ecofix vial room tep indefinitely
PHENOBARB	1094	M-F	1.0 ML	2 DAYS REFRIG	SERUM,SST	
PHOSPHORUS	3036	DAILY	1.0 ML	4 DAYS REFRIG	SERUM,SST	
PHOSPHORUS 24 HR	3816	DAILY	5.0 ML OR 24 HR UR CONTAINER	ASSAY ASAP	24 HOUR URINE	
PLAC	3991	AS NEEDED	1.0 ML	10 DAYS REFRIG	SERUM, SST	TEST IS BATCHED
POTASSIUM	3068	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
POTASSIUM 24 HOUR UA	3818	DAILY	5.0 ML OR 24 HR UR CONTAINER	6 DAYS REFRIG	24 HOUR URINE	
POTASSIUM RANDOM UA	3146	DAILY	5.0 ML	6 DAYS REFRIG	RANDOM URINE	
PREALBUMIN	3041	DAILY	1.0 ML	3 DAYS REFRIG	SERUM,SST	
PROGESTERONE	2046	DAILY	1.0 ML	5 DAYS REFRIG	SERUM,SST	
PROLACTIN	2042	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
PROTEIN 24 HR	3794	DAILY	5.0 ML OR 24 HR UR CONTAINER	6 DAYS REFRIG	24 HOUR URINE	
PROTEIN RANDOM UA	3212	DAILY	5.0 ML	6 DAYS REFRIG	RANDOM URINE	
PROTEIN TOTAL	3040	DAILY	1.0 ML	3 DAYS REFRIG	SERUM,SST	

PROTEIN/CREAT RANDOM UA	3300	DAILY	5.0 ML	6 DAYS REFRIG	RANDOM URINE	
				24 HOURS ROOM TEMP SPUN OR UNSPUN, DO NOT OPEN TUBE		
PROTIME	7100	DAILY	PROPERLY FILLED TUBE		BLUE TOP TUBE, SODIUM CITRATE	
PSA DIAGNOSTIC	2021	DAILY	1.0 ML	5 DAYS REFRIG	SERUM,SST	
PSA INDUSTRY	2023	DAILY	1.0 ML	5 DAYS REFRIG	SERUM,SST	
PSA MC SCREENING	2022	DAILY	1.0 ML	5 DAYS REFRIG	SERUM,SST	
PTH	2041	M-F	1.0 ML	2 DAYS REFRIG	SERUM,SST	
				24 HOURS ROOM TEMP SPUN OR UNSPUN, DO NOT OPEN TUBE		
PT MIXING STUDY	7101	M-F	PROPERLY FILLED TUBE		BLUE TOP TUBE, SODIUM CITRATE	
				DO NOT REFRIGERATE, 4 HOURS UNOPENED AND UNSPUN, OR MUST SPIN AND FREEZE THE PLASMA		
PTT	7028	DAILY	PROPERLY FILLED TUBE		BLUE TOP TUBE, SODIUM CITRATE	FROZEN PLASMA 48 HOURS
RA FACTOR	6024	DAILY	0.5 ML	8 DAYS REFRIGERATED	SERUM,SST	
RA TITER	6026	DAILY	0.5 ML	8 DAYS REFRIGERATED	SERUM,SST	
RENAL PROFILE	3737	DAILY	2.0 ML	3 DAYS REFRIGERATED	SERUM,SST	
RETIC	4094	DAILY	2.5 ML	8 HOURS REFRIGERATED	whole blood edta	
RPR	6028	DAILY	0.5 ML	5 DAYS REFRIGERATED	SERUM,SST	
RUBELLA SCREEN	1674	M-F	1.0 ML	6 DAYS REFRIG	SERUM,SST	
RUBELLA TITER	1675	M-F	1.0 ML	6 DAYS REFRIG	SERUM,SST	
SED RATE WESTERGREN	4098	DAILY	2.5 ML	24 HOURS REFRIGERATED	WHOLE BLOOD EDTA	

SED RATE WINTROBE	4096	DAILY	2.5 ML	24 HOURS REFRIGERATED	WHOLE BLOOD EDTA	
SEMEN ANALYSIS/FERTILITY	6205	DAILY	TOTAL EJACULATE	MUST RECEIVE IN LAB W/IN 1 HR	SEMEN	
SEMEN ANALYSIS/VASECTOMY	6210	DAILY	TOTAL EJACULATE	MUST RECEIVE IN LAB W/IN 1 HR	SEMEN	
SENSITIVITY GRAM +	PBC20	M-F		18-24 hours	PLATE (FRESH ISOLATE)	
SENSITIVITY GRAM =	NBC30	M-F		18 - 24 hours	PLATE (FRESH ISOLATE)	
SICKLE CELL PREP	4120	DAILY	0.5 ML	7 DAYS REFRIG	WHOLE BLOOD EDTA	
SODIUM	3065	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
SODIUM 24 HR UA	3820	DAILY	5.0 ML OR 24 HR UR CONTAINER	6 DAYS REFRIG	24 HOUR URINE	NO ADDITIVE
SPUTUM CULTURE	8466	DAILY	0.5 ML	24 HR REFRIG	SPUTUM	
STOOL CULTURE COMP	8462	DAILY	0.5ML	24 HR REFRIG	STOOL	
STOOL OCCULT BLOOD GUA IAC	8469	M-F	0.5ML	14 days room temp	CARDS OR STOOL SPECIMEN	
STOOL OCCULT BLOOD IMMUNO	8460	M-F	0.5ML	STOOL 7 DAYS REFRIGER	CARDS 30 DAYS RT	
STOOL PH	8286	DAILY	0.5ML	24 HRS REFRIG	STOOL	
STOOL REDUCING SUBSTANCE	8295	DAILY	0.5ML	24 HOURS REFR	STOOL	
STREP CULTURE -VAGINAL	8280	DAILY		48 HOURS ROOM TEMP	culture swab	
T3 UPTAKE	3076	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
T4 Total	3078	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
T4 FREE	3075	DAILY	1.0 ML	2 DAYS REFRIG	SERUM,SST	
TEGRETOL/CARBAMEZEPINE	1102	M-F	1.0 ML	5 DAYS REFRIG	SERUM CAPPED	MUST REMAIN CAPPED
TESTOSTERONE	2048	DAILY	1.0 ML	2 DAYS REFRIG	SERUM,SST	
THEOPHYLLINE	1100	M-F	1.0 ML	6 DAYS REFRIG	SERUM CAPPED	MUST REMAIN CAPPED
THYROID PANEL	3824	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
TRIGLYCERIDES	3052	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	

TROPONIN	3145	DAILY	1.0 ML	4 HOURS	EDTA WHOLE BLD	
TSH	2050	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	
URIC ACID	3038	DAILY	1.0 ML	5 DAYS REFRIG	SERUM,SST	
URIC ACID FLUIDS	3193	DAILY	1.0 ML	5 DAYS REFRIG	SERUM,SST	
URIC ACID24 HR UA	3822	DAILY	5.0 ML OR 24 HR UR CONTAINER	4 DAYS REFRIG	24 HOUR URINE	
URINALYSIS	5200	DAILY	10 ML	4 HRS/OVERNIGHT IF REFRIDGERATED	URINE	
URINE CULTURE	8010	DAILY	0.5ML	24 REFRIG	URINE	
URINE REFLEX TO CULTURE	5200 R	DAILY	10 ML	4 HRS/OVERNIGHT IF REFRIDGERATED	URINE	
VALPROIC ACID- DEPAKENE	1104	M-F	1.0 ML	6 DAYS REFRIG	SERUM CAPPED	MUST REMAIN CAPPED
VET CBC	3856	DAILY	0.5 ML	8 HOURS ROOM TEMP	WHOLE BLOOD EDTA	
WBC STOOL	8285	M-F	0.5ML	48 REFRIGER/STOOL	ECOFIX- INDEFINITELY	
WBC WITH DIFF	4235	DAILY	2.5 ML	8 HOURS ROOM TEMP	WHOLE BLOOD EDTA	